Selected Health Status Indicators



Jointly produced to assist those seeking to improve health care in rural Alabama


by
The Office of Primary Care and Rural Health,
Alabama Department of Public Health
and
The Alabama Rural Health Association

Special thanks to the National Organization of State Offices of Rural Health and the National Rural Health Association for funding assistance in the production of this publication.

This and other reports in this series can be referenced on-line by visiting the "Reports" section of the Office of Primary Care and Rural Health Web site at http://adph.org/ruralhealth/ or the "Rural/Urban Comparisons" section of the Alabama Rural Health Association Web site at www.arhaonline.org

October 2007

The Black Belt Action Commission Region



This publication defines entire counties as being "rural" or "urban" since most data of interest is available at the county level, but not at sub-county levels. For this specific definition, counties are assigned a score using four major indicators of rurality. These are population per square mile, the size and number of cities in a county, percentage of total employment comprised by employment in public education, and per capita agricultural sales. For additional information on the determination of which counties are considered "rural," please visit the "What Is Rural?" section at the Alabama Rural Health Association's Web site, www.arhaonline.org.

SELECTED HEALTH STATUS INDICATORS

United States, Alabama, and the Black Belt Action Commission

| | | | | | Black Belt Action Commission | | | | | |
|---|-------------------------------|-----------------|---------------------------|---------------|------------------------------|----------------------|-----------------------|----------------------|----------------|---------------|
| Indicators | United | | Alab | oama | All Counties | | Rural Counties | | Urban Counties | |
| 2006 Population | Number | Pct. of Total | Number | Pct. of Total | Number | Pct. of Total | Number | Pct. of Total | Number | Pct. of Total |
| Total | 299,398,484 | 100.0 | 4,599,030 | 100.0 | 212,148 | 100.0 | 212,148 | 100.0 | All Coun | ties in the |
| African American (alone) | 38,342,549 | 12.8 | 1,211,583 | 26.3 | 136,251 | 64.2 | 136,251 | 64.2 | | elt Action |
| White (alone) | 239,746,254 | 80.1 | 3,276,561 | 71.2 | 73,772 | 34.8 | 73,772 | 34.8 | | |
| American Indian (alone) | 2,902,851 | 1.0 | 23,799 | 0.5 | 322 | 0.2 | 322 | 0.2 | | ssion are |
| Asian (alone) | 13,159,343 | 4.4 | 41,881 | 0.9 | 615 | 0.3 | 615 | 0.3 | Ru | ral. |
| Hispanic | 44,321,038 | 14.8 | 113,890 | 2.5 | 2,655 | 1.3 | 2,655 | 1.3 | | |
| Age 19 Years or Less | 82,079,106 | 27.4 | 1,240,643 | 27.0 | 62,409 | 29.4 | 62,409 | 29.4 | | |
| Age 65 Years or More | 37,260,352 | 12.4 | 615,597 | 13.4 | 30,753 | 14.5 | 30,753 | 14.5 | | |
| Age 85 Years or More | 5,296,817 | 1.8 | 79,530 | 1.7 | 4,613 | 2.2 | 4,613 | 2.2 | | |
| Population Change | Number | Pct. Change | Number | Pct. Change | Number | Pct. Change | Number | Pct. Change | Number | Pct. Change |
| 1910 – 2000 | 91,972,266 to 281,421,906 | 206.0 | 2,138,093 to 4,447,100 | 108.0 | 369,332 to 222,068 | -39.9 | 369,332 to 222,068 | -39.9 | | |
| 2000 – 2025 Projected | 281,421,906 to 349,695,000 | 24.3 | 4,447,100 to 5,385,997 | 21.1 | 222,068 to 220,065 | -0.9 | 222,068 to 220,065 | -0.9 | | |
| Age 65+: 2000 – 2025 Projected | 34,991,753 to 63,042,500 | 80.2 | 579,907 to 999,769 | 72.4 | 31,310 to 45,155 | 44.2 | 31,310 to 45,155 | 44.2 | | |
| Hispanic: 1990 – 2006 Estimated | 22,354,059 to 44,321,038 | 98.3 | 24,629 to 113,890 | 362.4 | 772 to 2,655 | 243.9 | 772 to 2,655 | 243.9 | | |
| Income Related Indicators | Number | Measure | Number | Measure | Number | Measure | Number | Measure | Number | Measure |
| Population Below Poverty Level – 2004 Children Under 18 Below Poverty | 37,039,804 | 12.7% | 727,308 | 16.1% | 55,292 | 25.7% | 55,292 | 25.7% | | |
| Level - 2004 | 13,041,492 | 17.8% | 245,017 | 22.6 % | 18,986 | 34.1% | 18,986 | 34.1% | | |
| Per Capita Personal Income – 2005 | N.A. | \$34,471 | N.A. | \$29,623 | N.A. | \$22,406 | N.A. | \$22,406 | | |
| Medicaid Eligible Population – 2006 | N.A. | N.A. | 988,677 | 21.1% | 77,536 | 35.1% | 77,536 | 35.1% | | |
| Medicaid Eligible Children (Under 21) - 2006 | N.A. | N.A. | 520,256 | 38.9% | 39,296 | 55.9% | 39,296 | 55.9% | | |
| Medicaid Births - 2006 | N.A. | N.A. | 30,114 | 49.3% | 1,766 | 69.2% | 1,766 | 69.2% | | |
| Access to Health Care Indicators | Number | Measure | Number | Measure | Number | Measure ¹ | Number | Measure ¹ | Number | Measure |
| Primary Care Physicians – 2006 (Per 10,000 Pop.) | 209,550 | 7.2 | 3,044 | 6.5 | 102 | 4.6 | 102 | 4.6 | | |
| Dentists – 2003 (Per 10,000 Pop.) | 86,110 | 2.9 (2006) | 1,557 | 3.5 | 38 | 1.7 | 38 | 1.7 | | |
| Psychiatrists – 2006 (Per 10,000 Pop.) | 24,730 | 0.9 | 298 | 0.6 | 6 | 0.3 | 6 | 0.3 | | |
| Hospital Beds (Per 10,000 Pop.) | N.A. | N.A. | 16,917 | 36.1 | 475 | 21.5 | 475 | 21.5 | | |
| Households With No Vehicle – 2000 | 10,861,067 | 10.3% | 143,594 | 8.3% | 13,355 | 15.9% | 13,355 | 15.9% | | |
| Uninsured Population - 2003 | 39,803,527 | 14.2% (2001) | 504,539 | 11.2% | 28,634 | 13.2% | 28,634 | 13.2% | | |

SELECTED HEALTH STATUS INDICATORS - continued United States, Alabama, and the Black Belt Action Commission

| | | | | | Black Belt Action Commission | | | | | |
|--|-------------------|-----------------------|-----------------------|-----------------------|------------------------------|-------------------------|-----------------------|-------------------------|-----------------------|-----------------------|
| Indicators | United | | Alab | | | ounties | Rural Counties | | | |
| Cause of Death Indicators | Number in 2004 | Rate per 100,000 Pop. | Number in 2003 - 2005 | Rate per 100,000 Pop. | Number in 2003 - 2005 | Rate per 100,000 Pop. 1 | Number in 2003 - 2005 | Rate per 100,000 Pop. 1 | Number in 2003 - 2005 | Rate per 100,000 Pop. |
| All Causes | 2,397,615 | 816.5 | 139,414 | 1,028.7 | 7,588 | 1,175.0 | 7,588 | 1,175.0 | | • |
| Septicemia | 33,373 | 11.4 | 2,451 | 18.1 | 175 | 27.1 | 175 | 27.1 | All Counti | |
| Cancer | 553,888 | 188.6 | 29,389 | 216.9 | 1,523 | 235.8 | 1,523 | 235.8 | Black Belt | |
| Colon, Rectum, and Anus | 53,772 | 18.3 | 2,696 | 19.9 | 172 | 26.6 | 172 | 26.6 | Commiss Rura | |
| Trachea, Bronchus, and Lung | 158,091 | 53.8 | 9,286 | 68.5 | 406 | 62.9 | 406 | 62.9 | Kura | dI. |
| Breast (female) | 40,954 | 27.5 | 2,072 | 29.4 | 104 | 30.6 | 104 | 30.6 | | |
| Cervix Uteri (female) | 3,850 | 2.6 | 241 | 3.4 | 16 | 4.7 | 16 | 4.7 | | |
| Ovary (female) | 14,716 | 9.9 | 786 | 11.2 | 32 | 9.4 | 32 | 9.4 | | |
| Prostate (male) | 29,004 | 20.1 | 1,609 | 24.3 | 136 | 44.9 | 136 | 44.9 | | |
| Meninges, Brain, Other Central Nervous System | 12,829 | 4.4 | 611 | 4.5 | 18 | 2.8 | 18 | 2.8 | | |
| Alzheimer's Disease | 65,965 | 22.5 | 4,145 | 30.6 | 212 | 32.8 | 212 | 32.8 | | |
| Diabetes Mellitus | 73,138 | 24.9 | 4,273 | 31.5 | 250 | 38.7 | 250 | 38.7 | | |
| Heart Diseases | 675,562 | 230.1 | 38,683 | 285.4 | 2,351 | 364.1 | 2,351 | 364.1 | | |
| Ischemic Heart Diseases | 451,326 | 153.7 | 18,789 | 138.6 | 991 | 153.5 | 991 | 153.5 | | |
| Heart Failure | 57,120 | 19.5 | 6,606 | 48.7 | 572 | 88.6 | 572 | 88.6 | | |
| Cerebrovascular Diseases (Stroke) | 150,074 | 51.1 | 8,934 | 65.9 | 517 | 80.1 | 517 | 80.1 | | |
| Pneumonia | 58,564 | 19.9 | 3,111 | 23.0 | 154 | 23.8 | 154 | 23.8 | | |
| Chronic Lower Respiratory Diseases | 121,987 | 41.5 | 7,156 | 52.8 | 255 | 39.5 | 255 | 39.5 | | |
| Chronic Liver Disease and Cirrhosis | 27,013 | 9.2 | 1,378 | 10.2 | 45 | 7.0 | 45 | 7.0 | | |
| Nephritis, Nephrotic Syndrome, and Nephrosis | 42,480 | 14.5 | 3,132 | 23.1 | 225 | 34.8 | 225 | 34.8 | | |
| Accidents | 112,012 | 38.1 | 6,931 | 51.1 | 427 | 66.1 | 427 | 66.1 | | |
| Motor Vehicle Accidents | 44,933 | 15.3 | 3,480 | 25.7 | 256 | 39.6 | 256 | 39.6 | | |
| Drowning and Submersion | 3,308 | 1.1 | 187 | 1.4 | 12 | 1.9 | 12 | 1.9 | | |
| Smoke, Fire, and Flames | 3,229 | 1.1 | 322 | 2.4 | 38 | 5.9 | 38 | 5.9 | | |
| Poisoning and Exposure to Noxious Substances | 20,950 | 7.1 | 646 | 4.8 | 14 | 2.2 | 14 | 2.2 | | |
| Homicide | 17,357 | 5.9 | 1,233 | 9.1 | 108 | 16.7 | 108 | 16.7 | | |
| Suicide | 32,439 | 11.0 | 1,586 | 11.7 | 53 | 8.2 | 53 | 8.2 | | |

SELECTED HEALTH STATUS INDICATORS - continued United States, Alabama, and the Black Belt Action Commission

| | | | | , | Black Belt Action Commission | | | | | |
|---|-------------------|-------------------|-----------|------------|------------------------------|------------|---------|------------|----------------|-------------------------|
| Indicators | United | States | Alal | oama | All C | ounties | Rural (| Counties | Urban Counties | |
| Natality Related Indicators | Number | Measure | Number | Measure | Number | Measure | Number | Measure | Number | Measure |
| Infant Mortality Rate Per 1,000 Births (2004 – 2006) | 28,534 | 6.9 | 1,646 | 9.0 | 85 | 10.2 | 85 | 10.2 | | |
| Low Weight Births – 2006 (Percent of All Births) | 331,772 (2004) | 8.1 % | 6,616 | 10.5 % | 363 | 12.9 % | 363 | 12.9 % | All Coun | ties in the |
| Births to Teens (10-19) – 2006 (Percent of All Births) | 422,043 (2004) | 10.3 % | 8,670 | 13.8 % | 492 | 17.5 % | 492 | 17.5 % | | elt Action ssion are |
| Births With Less Than Adequate Prenatal Care – 2006 (Percent of All Births) | N.A. | N.A. | 14,390 | 23.1 % | 934 | 33.5 % | 934 | 33.5 % | | ral. |
| Tobacco Use During Pregnancy – 2006 (Percent of All Births) | 419,429 | 10.2% | 7,394 | 11.8 % | 206 | 7.3 % | 206 | 7.3 % | | |
| Births Occurring Outside of the Mother's County of Residence – 2006 (Percent of All Births) | N.A. | N.A. | 20,002 | 31.8 % | 2,007 | 71.3 % | 2,007 | 71.3 % | | |
| Births to Undereducated Women – 2006 | N.A. | N.A. | 11,648 | 18.6 % | 475 | 17.0 % | 475 | 17.0 % | | |
| Other Indicators | Number | Measure | Number | Measure | Number | Measure | Number | Measure | Number | Measure |
| Age 65+ With "Home Bound" Disability – 2000 | 6,795,517 | 19.4 % | 139,401 | 24.0 % | 8,511 | 27.2 % | 8,511 | 27.2 % | | |
| Age 25+ With Less Than High School Education - 2000 | 35,715,625 | 19.6 % | 714,081 | 24.7 % | 45,256 | 32.9 % | 45,256 | 32.9 % | | |
| Receiving Medicare Disability – 2003 (Percent of Total Population) | 6,079,424 | 2.2 % | 150,573 | 3.3 % | 9,834 | 4.5 % | 9,834 | 4.5 % | | |
| Obese – 2003 (Percent of Total Population) Accidental Deaths Occurring Outside | Not Comparable | Not Comparable | 1,073,329 | 23.9 % | 58,476 | 26.9 % | 58,476 | 26.9 % | | |
| of a Health Care Facility: 2003-05 (Percent of All Accidental Deaths) | N.A. | N.A. | 3,621 | 52.2 % | 260 | 60.9 % | 260 | 60.9 % | | |
| Life Expectancy at Birth - 2005 | N.A. | 77.9 years | N.A. | 74.8 years | N.A. | 72.9 years | N.A. | 72.9 years | | |
| Sexually Transmitted Disease Cases Reported in 2006 (Per 10,000 Pop.) | 1,349,333 | 45.9 | 33,463 | 73.6 | 2,568 | 120.4 | 2,568 | 120.4 | | |
| Cumulative HIV Cases as of December 31, 2006 (Per 10,000 Pop.) | Not Comparable | Not Comparable | 14,737 | 32.4 | 672 | 31.5 | 672 | 31.5 | | |
| Families Being Counseled for Drug Issues by the Alabama Department of Mental Health During FY 2004 (Percent of All Families) | N.A. | N.A. | 20,881 | 1.7 % | 702 | 1.2 % | 702 | 1.2 % | | |

Rates, percentages, etc based upon fewer than 16 events may not be statistically reliable for specific analyses. Caution should be exercised in using these indicators.

THIS PUBLICATION IS DESIGNED TO BE USED WITH THE "COUNTY SPECIFIC DATA" PUBLICATION IN IDENTIFYING SPECIFIC COUNTIES WHERE SELECTED INDICATORS MAY BE OF GREATER CONCERN.

FOR EXAMPLE: IT IS NOTED THAT THE MOTOR VEHICLE ACCIDENT MORTALITY RATE FOR ALL COUNTIES IN THE BLACK BELT ACTION COMMISSION REGION COMBINED IS 39.6 DEATHS PER 100,000 PERSONS.

THE USER CAN REFER TO THE "MOTOR VEHICLE ACCIDENT MORTALITY" SECTION ON PAGE 16 IN THE "COUNTY SPECIFIC DATA" PUBLICATION WHERE IT CAN BE SEEN THAT THE HIGHEST MORTALITY RATES FOR MOTOR VEHICLE ACCIDENTS IN THAT COMMISSION REGION ARE IN THE COUNTIES OF PERRY (61.1), LOWNDES (58.6), CHOCTAW (48.6), WILCOX (46.6), AND HALE (42.3).

Sources of Information and Special Notes

2006 Population: U.S. Census Bureau, County Population Estimates – characteristics; County Population by Age, Sex, Race, and Hispanic Origin: April 1, 2000 through July 1, 2006. http://www.census.gov/popest/counties/asrh/CC-EST2006-alldata.html

Population Change 1910-2000: U.S. Census Bureau, County Population Census Counts 1900-90, http://www.census.gov/population/cencounts/al190090.txt for 1910 data; U.S. Census Bureau, American FactFinder, Census 2000 Summary File 1 (SF 1) 100-Percent Data for 2000 data.

Population Change 2000-2025: U.S. Census Bureau, American FactFinder, Census 2000 Summary File 1 (SF 1) 100-Percent Data for 2000 data. Alabama State Data Center, Alabama County Population 2000 and Projections 2005-2025 for 2025. http://cber.cba.ua.edu/edata/est_prj.html

Age 65+ Population Change 2000-2025: Alabama State Data Center, Alabama County Population 65 and Over 2000 and Projections 2005-2025 for 2025. http://cber.cba.ua.edu/edata/est_prj.html

Hispanic Population Change 1990-2006: U.S. Census Bureau, American FactFinder, Census 1990 Summary File 1 (STF 1) 100-Percent Data for 1990 data. Alabama State Data Center, Estimates of the Hispanic Population by County, 2006. http://cber.cba.ua.edu/edata/est prj.html

Population Below Poverty Level - 2004: U.S. Census Bureau, Small Area Income and Poverty Estimates, http://www.census.gov/hhes/www/saipe/saipe.html

Children Under 18 Below Poverty Level - 2004: U.S. Census Bureau, Small Area Income and Poverty Estimates, http://www.census.gov/hhes/www/saipe/saipe.html

2005 Per Capita Personal Income: U.S. Bureau of Economic Analysis, Interactive Tables: Local Area Personal Income, Table CA1-3. http://www.bea.gov/regional/reis/default.cfm?catable=CA1-3§ion=2

Medicaid Eligible Population - 2006: Alabama Medicaid Agency, Alabama Medicaid Statistics by County – 2006. http://www.medicaid.alabama.gov/resources/stats_reports.aspx?tab=5

Medicaid Eligible Children (Under 21) - 2006: Alabama Medicaid Agency, Alabama Medicaid Statistics by County – 2006. http://www.medicaid.alabama.gov/resources/stats_reports.aspx?tab=5 Medicaid Births - 2006: Alabama Department of Public Health, Center for Health Statistics, Special guery of the 2006 Birth Statistics File.

Primary Care Physicians in 2006: Medical Licensure Commission, Licensed Physician Data Base – 2006. (In this publication, primary care physicians include family practitioners, internal medicine specialists, pediatricians, and obstetricians and gynecologists.)

Dentists in 2003: Board of Dental Examiners of Alabama, Licensed dentists data base - 2003.

Psychiatrists in 2006: Medical Licensure Commission, Licensed Physician Data Base – 2006.

Hospital Beds in 2007: Alabama Department of Public Health, Division of Provider Services, Healthcare Facilities Directory – Hospital Section. October 4, 2007. http://ph.state.al.us/facilitiesdirectory/(S(ikg10gmphl4ih5550hmu4t45))/Default.aspx

Households With No Vehicle in 2000: U.S. Census Bureau, American FactFinder, Census 2000 Summary File 3 (SF 3) Sample Data, Table H44 - Tenure by Vehicles Available.

Uninsured Persons - 2003: State Health Access Data Assistance Center, Alabama County Chartbook: County-Level Estimates of Uninsurance July 2005. (Prepared for the Alabama Department of Public Healthy, Children's Health Insurance Program)

Cause of Death Indicators: Alabama Department of Public Health, Center for Health Statistics, Special queries of the 2003, 2004, and 2005 Mortality Statistics Files for Alabama data. Centers for Disease Control and Prevention, CDC Wonder Interactive Program, Mortality – Underlying Cause of Death 2004 file. http://wonder.cdc.gov/ (Cause of death data included in this publication is not age-adjusted)

Infant Mortality Rate - 2004-2006; Alabama Department of Public Health, Center for Health Statistics, Special querries of the 2004, 2005, and 2006 Birth Statistics Files for birth data. Alabama Department of Public Health, Center for Health Statistics, Total Resident Infant Deaths and Infant Mortality Rates by County, Alabama, 2006, 2005, 2004, and Combined 2006-2004. http://adph.org/healthstats/assets/06TotInfantDeaths.pdf

Low Weight Births - 2006: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2006 Birth Statistics File. (Births weighing less than 2,500 grams or 5 pounds and 8 ounces are defined as being of low weight.)

Births to Teenagers (Age 10-19) - 2006: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2006 Birth Statistics File.

Births With Less Than Adequate Prenatal Care - 2006: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2006 Birth Statistics File. (The Kotelchuck Index is used in determining adequacy of prenatal care. This index primarily considers the date when prenatal care was begun and the number of visits in determining adequacy.)

Births With Tobacco Use During Pregnancy - 2006: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2006 Birth Statistics File.

Births Occurring Outside Mother's County of Residence - 2006: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2006 Birth Statistics File.

(This indicator was included because of the serious decline in the number of rural hospitals where obstetrics are performed and the natural relationship between women receiving adequate prenatal care and the presence of obstetrical care in the county.)

Births to Undereducated Women - 2006: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2006 Birth Statistics File. (Women are considered to be "undereducated" when their years of education is at least two years less than what would be expected for someone of their age.)

Age 65+ With "Home Bound" Disability - 2000: U.S. Census Bureau, American FactFinder, Census 2000 Summary File 3 (SF 3) Sample Data, Table P41 – Age by Types of Disability for the Civilian Noninstitutionalized Population 5 Years and Over With Disabilities.

Age 25+ With Less Than High School Education - 2000: U.S. Census Bureau, American FactFinder, Census 2000 Summary File 3 (SF 3) Sample Data, Table P37 – Sex by Educational Attainment for the Population 25 Years and Over.

Persons Receiving Medicare Disability - 2003: Centers for Medicare and Medicaid Services, Medicare County Enrollment, As of July 1, 2003. http://www.cms.hhs.gov/MedicareEnrpts/

Obesity - Percent of Population in 2003: Chronic Disease in Alabama: Past, Present, and Future Trends. Pp. 16-17. http://adph.org/ADMINISTRATION/chronicdisease.pdf

Accidental Deaths Occurring Outside of a Health Care Facility - (2003-2005): Alabama Department of Public Health, Center for Health Statistics, Special query of the 2003, 2004, and 2005 Mortality Statistics File.

(This indicator was used in the place of an "emergency medical services emergency ambulance runs" data base. While there is such a data base maintained within the Alabama Department of Public Health, reporting to this data base is not complete and could produce confusing findings. The provision of adequate emergency medical service continues to be a serious issue in most rural Alabama counties.)

Life Expectancy at Birth - 2005: Alabama Department of Public Health, Center for Health Statistics, County Health Profiles – 2005. http://www.adph.org/healthstats/Default.asp?id=1521

Sexually Transmitted Disease Cases - 2006: Alabama Department of Public Health, Division of STD Prevention and Control, Statistics, County Totals – 2006. http://www.adph.org/STD/Default.asp?id=1080

Cumulative HIV Cases as of 12/31/2006: Alabama Department of Public Health, Division of HIV/AIDS Prevention and Control, Statistics, Public Health Area (January – December 2006). http://www.adph.org/aids/Default.asp?id=984

(National data for the cumulative number of HIV cases as of December 31, 2006 is not comparable due to the fact that not all states report this information to the Centers for Disease Control and Prevention and those that are reporting initiated this reporting at varying times.)

Families Served by the Division of Substance Abuse Services in the Alabama Department of Mental Health - FY 2004: Alabama Department of Mental Health, Department's Annual Report, '03-'04. p35. http://www.mh.alabama.gov/downloads/AnnualReports/ADMH AnnualReport 03 04Part3.pdf

PERMISSION IS GRANTED TO DUPLICATE OR OTHERWISE USE ALL OR ANY PORTION OF THIS REPORT

For additional information please contact the Office of Primary Care and Rural Health Development at (334) 206-5396 or the Alabama Rural Health Association at (334) 281-3866.